

ATTESTATION OF CONFORMITY

Issued to: XING YUAN ELECTRONICS CO., LTD
Road No.8, Second Industrial Zone, Fulong Village, Shi Pai Town 523850 Dongguan
City, Guangdong Province, China

For the product: LED driver



Trade name:

Type/Model: see annex

Ratings: ta: 40° C, tc: 75° C, Safety isolating non-inherently shorted circuit proof, Class II,
IP20, independent;
Input: 100-240 Vac, 50/60 Hz, 0,5 A Max.;
Other ratings see "General product information" for details

Manufactured by: XING YUAN ELECTRONICS CO., LTD
Road No.8, Second Industrial Zone, Fulong Village, Shi Pai Town 523850 Dongguan
City, Guangdong Province, China

Requirements: EN 61347-1:2015 + A1:2021 BS EN 61347-1:2015 + A1:2021
EN 61347-2-13:2014 + A1:2017 BS EN 61347-2-13:2014 + A1:2017
EN 62493:2015 BS EN 62493:2015

This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in a confidential file no 4386001.50.

This Attestation implies that the examined types are in accordance with the standards designated under the Electrical Equipment (Safety) Regulations 2016.

The examination has been carried out on one single specimen or several specimens of the product, submitted by the manufacturer. The Attestation does not include an assessment of the manufacturer's production. Conformity of his production with the specimen tested by DEKRA is not the responsibility of DEKRA.

The UKCA marking may be affixed on the product if all relevant and effective UK regulations are complied with.

Arnhem, 21 April 2022

Number: 4386001.02AOC

DEKRA Testing and Certification (Shanghai) Ltd.,
Guangzhou Branch

Rosa Zhou
Certification Manager

© Integral publication of this attestation and adjoining reports is allowed

DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou Branch
Block 5, No.3, Qiyun Road, Huangpu District, Guangzhou, Guangdong, China
T +86 20 6661 2000 F +86 20 6661 2001 www.dekra-product-safety.com

**UK
CA**

Annex

Document no. : 4386001.02AOC

Type/Model:

XY24LI-xxxyyyVQ-ZW, XY24LI-xxxyyyVQ-EW,
XY24LI-xxxyyyVQ-BW, XY24LI-xxxyyyVQ-KW

Note:

1. "xxx" = 050-300 indicates rated output voltage range 5,0-30,0 Vdc; For example, 050 = 5,0 Vdc, 300 = 30,0 Vdc. The rated output voltage is rising in step of 0,1 Vdc;
 2. "yyy" = 001-300 indicates the rated output current range 0,01-3,0 A; For example, 001 = 0,01 A, 300 = 3,0 A, the rated output current is rising in step of 0,01 A.
-

End