ATTESTATION OF CONFORMITY

Issued to: XING YUAN ELECTRONICS CO., LTD

No. 227 of Xiasha Road, Shipai Town, 523350 Dongguan City, Guangdong Province,

CHINA

For the product: LED driver

Trade name:

Type/Model: XY60SE-xxxyyyVH-ED, XY60SE-xxxyyyVH-EP,

XY60SE-xxxyyyVH-BP, XY60SE-xxxyyyVH-DD

(xxx=090-280 indicates the rated output voltage range 9,0 -28,0 Vdc; yyy=001-500

indicates the rated output current range 0,01-5,0A)

Ratings: see annex

Manufactured by: XING YUAN ELECTRONICS CO., LTD

No. 227 of Xiasha Road, Shipai Town, 523350 Dongguan City, Guangdong Province,

CHINA

Requirements: EN 61347-1;2015 + A1:2021 /// BS/EN/61347-1;2015 + A1:2021

EN 61347-2-13:2014 + A1:2017////BS/EN 61347-2-13:2014 + A1:2017

EN 62493:2015///////////BS/EN 62493:2015

This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in a confidential file no 4386003.50.

This Attestation implies that the examined types are in accordance with the standards designated under the Electrical Equipment (Safety) Regulations 2016.

The examination has been carried out on one single specimen or several specimens of the product, submitted by the manufacturer. The Attestation does not include an assessment of the manufacturer's production. Conformity of his production with the specimen tested by DEKRA is not the responsibility of DEKRA.

The UKCA marking may be affixed on the product if all relevant and effective UK regulations are complied with.

Arnhem, 6 May 2022 Number: 4386003.02AOC

DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou Branch

Rosa Zhou Certification Manager

© Integral publication of this attestation and adjoining reports is allowed

CA



Annex

Document no. : 4386003.02AOC

Ratings:

ta: 40°C, tc: 75°C, class II, independent type, SELV, safety isolating non-inherently shorted circuit proof, constant voltage output;

IP20 for XY60SE-xxxyyyVH-ED, XY60SE-xxxyyyVH-BD,

XY60SE-xxxyyyVH-DD;

IP67 for XY60SE-xxxyyyVH-EP, XY60SE-xxxyyyVH-BP

Input: 220-240 Vac, 50/60 Hz, 1,5 A max.;

Output: see General product information-model of test report list for details

End