

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	XingYuan Electronics Co., Ltd.	Other Name	
Address	No. 227 of Xiasha Road, Shipai Town, Dongguan City Guangdong 523350 China		
Client ID	108074	Global-Mark File Number:	108074-008
Certificate Number & Approval Mark	GMA-515143-EA	Revision Number	01
Certification Standard(s)	AS/NZS 61558.2.16:2010 including A1 - 3 & AS/NZS 3112:2017 including A1 App J Safety of power transformers, power supplies, reactors and similar products for supply voltages up to 1 100 V - Particular requirements for switch mode power supply units and transformers for switch mode power supply units		
Type of Certification	Electrical Safety Product	<i>Scheme</i>	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	29/03/2023
Certificate Last Update Date	8/02/2024
Certification Expiry Date	29/03/2028

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-050240VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 5.0Vdc, 2.4A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-060250VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 6.0Vdc, 2.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-045250VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 4.5Vdc, 2.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-050300VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 5.0Vdc, 3.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-090200VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 9.0Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-090180VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 9.0Vdc, 1.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-090260VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 9.0Vdc, 2.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-090250VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 9.0Vdc, 2.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-050240VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 5.0Vdc, 2.4A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-060250VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 6.0Vdc, 2.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-045250VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 4.5Vdc, 2.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-050300VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 5.0Vdc, 3.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-090180VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 9.0Vdc, 1.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-045300VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 4.5Vdc, 3.0A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 2 of 12



Certificate of Conformity

Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-090260VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 9.0Vdc, 2.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-090200VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 9.0Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-090250VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 9.0Vdc, 2.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-180100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 18.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-180120VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 18.0Vdc, 1.2A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-200120VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 20.0Vdc, 1.2A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-190120VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 19.0Vdc, 1.2A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-190100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 19.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-160100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 16.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-160150VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 16.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-160120VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 16.0Vdc, 1.2A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-170100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 17.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-170140VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 17.0Vdc, 1.4A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-170120VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 17.0Vdc, 1.2A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 1.0A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-230100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 23.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-230080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 23.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-250060VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 25.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-250080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 25.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-210100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 21.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-200100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 20.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-200080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 20.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-220080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 22.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-210080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 21.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-220100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 22.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-260060VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 26.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-270060VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 27.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-270080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 27.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-100180VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 10.0Vdc, 1.8A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-260080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 26.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-100200VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 10.0Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-290060VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 29.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-300060VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 30.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-300080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 30.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-280080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 28.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-290080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 29.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-280060VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 28.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-140100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 14.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-140160VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 14.0Vdc, 1.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-140150VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 14.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-150100VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 15.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-150160VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 15.0Vdc, 1.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-150150VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 15.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-110180VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 11.0Vdc, 1.8A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-100150VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 10.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-110200VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 11.0Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-130150VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 13.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-120200VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 12.0Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-130180VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 13.0Vdc, 1.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-150150VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 15.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-150160VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 15.0Vdc, 1.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-160120VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 16.0Vdc, 1.2A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-150100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 15.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-160150VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 16.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-130150VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 13.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-120200VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 12.0Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-130180VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 13.0Vdc, 1.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-140100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 14.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-140160VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 14.0Vdc, 1.6A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-140150VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 14.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-200120VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 20.0Vdc, 1.2A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-190120VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 19.0Vdc, 1.2A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-190100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 19.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-210100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 21.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-200100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 20.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-200080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 20.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-170120VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 17.0Vdc, 1.2A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-160100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 16.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-170140VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 17.0Vdc, 1.4A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-180100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 18.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-170100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 17.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-180120VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 18.0Vdc, 1.2A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-300080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 30.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-290080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 29.0Vdc, 0.8A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-290060VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 29.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-250080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 25.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-300060VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 30.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-250060VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 25.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-270080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 27.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-260080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 26.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-260060VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 26.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-280060VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 28.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-270060VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 27.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-280080VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 28.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-100180VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 10.0Vdc, 1.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-210080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 21.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-100200VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 10.0Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-110180VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 11.0Vdc, 1.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-100150VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 10.0Vdc, 1.5A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-110200VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 11.0Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-230080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 23.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-220100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 22.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-230100VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 23.0Vdc, 1.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-220080VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 22.0Vdc, 0.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-045300VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 4.5Vdc, 3.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-050250VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 5.0Vdc, 2.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-059200VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 5.9Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-084200VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 8.4Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-084250VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 8.4Vdc, 2.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-120150VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 12.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-120167VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 12.0Vdc, 1.67A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-120180VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 12.0Vdc, 1.8A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-126190VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 12.6Vdc, 1.9A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-150050VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 15.0Vdc, 0.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-150060VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 15.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-180050VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 18.0Vdc, 0.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-180060VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 18.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240062VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 0.62A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240075VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 0.75A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240083VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 0.83A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240085VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 0.85A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-260075VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 26.0Vdc, 0.75A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-275075VQ-AW	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 27.5Vdc, 0.75A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-050250VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 5.0Vdc, 2.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-059200VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 5.9Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-084200VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 8.4Vdc, 2.0A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-084250VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 8.4Vdc, 2.5A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-120150VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 12.0Vdc, 1.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-120167VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 12.0Vdc, 1.67A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-120180VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 12.0Vdc, 1.8A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-126190VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 12.6Vdc, 1.9A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-150050VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 15.0Vdc, 0.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-150060VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 15.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-180050VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 18.0Vdc, 0.5A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-180060VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 18.0Vdc, 0.6A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240062VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 0.62A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240075VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 0.75A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240083VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 0.83A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-240085VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 24.0Vdc, 0.85A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-260075VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 26.0Vdc, 0.75A
Power Supply or Charger	AC ADAPTER / LED DRIVER	XY	XY24SR-275075VQ-AT	Input: 100-240V~ or 220-240V~, 50/60Hz, 0.6A Max Output: 27.5Vdc, 0.75A

RELEVANT TRADEMARK (S)

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager


Certificate of Conformity

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Complies with AS 61347.2.13:2018
Suitable for sale in New Zealand
2024/02/08 Modification 1
- add alternative models

End of document



This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

